

JOB NAME: _____
 LOCATION: _____
 QUOTE/REF#: _____



The ALP-20 is an Architectural-grade LED extrusion designed for surface mount applications and can fit linear LED strips up to **12mm (0.5")** wide. Made from high quality aluminum and manufactured with a patented frosted diffuser for maximum lumen output and wider beam distribution.

SPECIFICATIONS

TYPE	Surface mount
AVAILABLE LENGTHS	49.25", 84" and 98.5"
FINISH	White / Black / Silver
LENS OPTIONS	Frosted
CHANNEL	ALP-20
LENS (INCLUDED)	ALP-20-LN (frosted)
END CAP	ALP-20-EC
MOUNTING CLIPS	ALP-20-CL
ADJUSTABLE BRACKET	ALP-20-BKT-ADJ
ADJUSTABLE BRACKET	ALP-20-ASB

FEATURES

- Customizable
- Durable, anodized aluminum
- Protects LED systems from dust and other elements
- Slim, low profile design
- Dissipates heat from LED, prolonging its lifetime

DIMENSIONS


Compatible with LED strips up to **12mm (0.5")** wide.

LED tape light sold separately.

Frosted Lens diffuser included

2 (two) end caps included with every channel.

Custom color finishes available (powder-coating).



STANDARD ORDERING CODE (CHANNEL)

Model	Length	Lens	Light Engine	Finish
ALP20	49 49.25"	FR Frosted	See p. 4	WH White
	84 84"			SI Silver
	98 98.5"			BK Black
				CU Custom (powder-coat)


ALP20

Surface Mount LED Profile

ALP-20-LN | Plastic Lens (included)

TYPE FR (frosted)


LENGTHS 49.25" and 98.5"



ALP-20 | Aluminum Channel


MOUNTING Surface

LENGTHS 49.25" and 98.5"




ALP-20-EC | End Cap

*Two end caps included with every channel




ALP-20-CL | Metal Mounting Clips



ALP-20-BKT-ADJ | Adjustable Brackets



ALP-20-ASB | Adjustable Brackets



COMPATIBLE LED STRIPS

Indoor

LSM-15

1.5W/Ft., 120 Lumens

LSM-25

2.2W/Ft., 185 Lumens

LSM-30

3.0W/Ft., 250 Lumens

LSM-40HF

4.0W/Ft., 440 Lumens

LSM-45

4.4W/Ft., 370 Lumens

LSP-50

4.4W/Ft., 380 Lumens

LSM-55

5.5W/Ft., 500+ Lumens

LSM-55MX

5.5W/Ft., 500+ Lumens

Outdoor

Indoor Color-changing

LSP-20-RGB

2.2W/FT

LSP-50-RGB

4.4W/FT

LSP-58X-RGB

5.8W/FT