

LFX
MP



LFX-LG-50-150W
LFX-LG-50-150W-50K-480V



LFX-XL-150-300W
LFX-XL-150-300W-50K-480V

OPTIONS
PHOTOCELL
MOTION SENSOR
BATTERY BACKUP
FIXTURE COLOR


Mounting & Shroud Accessories
Avail. See Page A33

TECHNICAL SPECIFICATIONS:

- :: Multi-CCT Power: The Switch is on the Bottom of the Fixture
- :: Cord Type: 6' SJTW 18/3 AWG cable
- :: 0~10V dimming
- :: Housing: Die-cast aluminum housing with powder coat finish (Dark Bronze)
- :: Optic Lens - TYPE III
- :: Beam Angle: 90° X 120°
- :: Voltage: 120-277V/ 480V
- :: Color Rendering Index: ≥ 82
- :: Power Factor: >0.9
- :: Operating Temperature: -40°F to 104°F
- :: 70,000 hour rated life
- :: Suitable for Wet Locations, IP65
- :: 7-year warranty

APPLICATIONS:

- :: Ideal for general site lighting, alleys, loading docks, doorway, pathway and parking areas.
- :: Great for use with motion sensors or other instant on/off controls




LFX ARCHITECTURAL SERIES (120V-277V/480V)

CATALOG NO.	WATTS	LPW	COLOR TEMP	DIMENSIONS
LFX-LG-50-150W-30K	50W/80W/100W/150W	140LM/W	3000K	11"(H) x 12-5/8"(W) x 3-3/8"(D)
LFX-LG-50-150W-40K	50W/80W/100W/150W	140LM/W	4000K	11"(H) x 12-5/8"(W) x 3-3/8"(D)
LFX-LG-50-150W-50K	50W/80W/100W/150W	140LM/W	5000K	11"(H) x 12-5/8"(W) x 3-3/8"(D)
LFX-XL-150-300W-30K	150W/200W/240W/300W	145LM/W	3000K	19 5/8"(H) x 12-5/8"(W) x 3-3/4"(D)
LFX-XL-150-300W-40K	150W/200W/240W/300W	145LM/W	4000K	19 5/8"(H) x 12-5/8"(W) x 3-3/4"(D)
LFX-XL-150-300W-50K	150W/200W/240W/300W	145LM/W	5000K	19 5/8"(H) x 12-5/8"(W) x 3-3/4"(D)
LFX-LG-50-150W-50K-480V	15W/20W/30W/50W	140LM/W	5000K	11"(H) x 12-5/8"(W) x 3-3/8"(D)
LFX-XL-150-300W-50K-480V	15W/20W/30W/50W	145LM/W	5000K	19 5/8"(H) x 12-5/8"(W) x 3-3/4"(D)

MOUNTING OPTIONS FOR LFX, LFXPRO & LF4PRO SERIES

A33



LFX-ASA (Bronze)
LFX-ASA-WH (White)
Adjustable Straight Arm
for LFX & LFXPRO & LF4PRO Series



LFX-YK (Bronze)
LFX-YK-WH (White)
Yoke
for LFX & LFXPRO & LF4PRO Series



LFX-EXT (Bronze)
LFX-EXT-WH (White)
Straight Arm
for LFX & LFXPRO & LF4PRO Series



LFX-SF (Bronze)
LFX-SF-WH (White)
Slip Fitter
for LFX & LFXPRO & LF4PRO Series



LFX-TR-A (Bronze)
LFX-TR-A-WH (White)
U Bracket
for LFX & LFXPRO & LF4PRO "LG" Series



LFX-PASF (Bronze)
LFX-PASF-WH (White)
Pole Adapter for Slip Fitter
for LFX & LFXPRO & LF4PRO Series




LFX-TR-B (Bronze)
LFX-TR-B-WH (White)
U Bracket
for LFX & LFXPRO "XL" Series


SHROUDS

A34


LF-SHROUD-A




LF-SHROUD-B



LF-SHROUD-D



LF-SHROUD-E




LFX-WG-A




LFX-WG-B



LFPRO-WG-A



LFPRO-WG-B



OPTIONAL SHROUDS

CATALOG NO.	DESCRIPTION
LF-SHROUD-A	Half Shroud for LFX & LFXPRO "LG" & LF4PRO Series
LF-SHROUD-B	Half Shroud for LFX & LFXPRO "XL" Series
LF-SHROUD-D	Full Shroud for LFX & LFXPRO "LG" & LF4PRO Series
LF-SHROUD-E	Full Shroud for LFX & LFXPRO "XL" Series
LFX-WG-A	Wire Guard for LFX "LG" Series
LFX-WG-B	Wire Guard for LFX "XL" Series
LF4PRO-WG-A	Wire Guard for LF4PRO "LG" Series
LF4PRO-WG-B	Wire Guard for LF4PRO "XL" Series