# GPX SERIES Outdoor Lighting

WESTGATE
THE FUTURE IS HERE...AND IT'S QUITE BRIGHT!

GPX-90-150W-MCTP-CAT
CATENARY LIGHT - WATTAGE AND CCT SELECTABLE

MCTP Multi Color Temperature & Multi Power/Wattage (Selectable)


Customer Name:
Project Name:
Note: | Type:






Catenary Suspension Mount

Ideal for airports, auto dealerships, corporate offices, education, government, healthcare, industrial warehouses, municipal parking, gas stations, convenient stores, recreation and public venues, restaurants, hospitality, retail and grocery stores.




**15.75"(W)X10.79"(H)**

## Features

- Aluminum Housing ,Outdoor Powder Coated
- 7-Year Warranty
- Multi CCT and Power: Selectable Switch Inside Of The Fixture

## Technical Specifications

### Electrical:

- Voltage: 100-277V AC 50/60Hz
- Wattage: 90W/120W/150W
- Power Factor: 0.95
- Efficacy: 150LM/W

### Mechanical:

- Aluminum Housing , Outdoor Powder Coated
- Programmable Bi-Level Motion Sensor & Emergency Backup Options
- Includes two 3 ft. 3-wire SJTW cords for power input and output connections
- Operating Temperature: -86°F~122°F
- IP Rating: IP66, Suitable for Wet Locations
- 7-Year Warranty

### Lighting:

- Multi CCT and Power: Selectable Switch Inside Of The Fixture
- Dimmable: 0~10V Dimming
- LED: SMD 3030
- Total Lumens: 22500LM Max.
- Color Temperature: 3000K/4000K/5000K
- Color Rendering index: >70
- Beam Angle: Type V (150° X 150°)
- Lifespan: 70000 Hrs.

### Applications:


- Ideal for Gardens, Amusement Parks, Residential Areas, Courtyards, Industrial Parks, and Pedestrian Streets.

ETL US | DIMMING 1-10V | WET LOCATION | IP66 | 7 YEAR LIMITED WARRANTY


Phone: (877) 805-2252 | Fax: (877) 805-2252
www.westgatemfg.com

WG-04062022

## Photometrics: GPX-90-150W-MCTP-CAT



BUD Rating: B1-U1-G0




20W 5000K, Area55'x 75' Mounting Height: 9'

## Other Views:



Side View



Lens View



Top View

## Performance Table: GPX-90-150W-MCTP-CAT

| MODEL NO. | Wattage | Voltage | Lumens | Color Temp. | BUG Rating | LPW |
|---|---|---|---|---|---|---|
| GPX-90-150W-MCTP-CAT | 90W<br>120W<br>150W | 120-277V | 13500LM<br>18000LM<br>22500LM | 3000K<br>4000K<br>5000K | B1-U1-G0 | 150 |

## Sample Ordering

| Model | Min. Watt | Max. Watt | Color Temp. | Mount |
|---|---|---|---|---|
| GPX | 90 | 150W | MCTP | CAT |

## Factory Installed Options:

**Blank =** No Option
**OPT-EM-GPX =** INTERNAL EMERGENCY BACK UP BATTERY
**OPT-3MPC =** MICROWAVE PHOTOCELL
**OPT-CLR-95(BK/GR/SR/WH) =** COLOR PAINT
**OPT-SEN-3MR-3 =** BI-LEVEL MICROWAVE SENSOR
**WEC-8RC =** REMOTE CONTROL
**OPT-GPX-LENS-TYPE2S =** FACTORY- INSTALLED TYPE 2 LENS
**OPT-GPX-LENS-TYPE3S =** FACTORY- INSTALLED TYPE 3 LENS
**OPT-GPX-LENS-FL =** FACTORY- INSTALLED FROSTED GLASS LENS

## FACTORY INSTALLED OPTIONS:



OPT-EM-GPX



OPT-3MPC




OPT-SEN-3MR-3

## COLOR CHART: * Choose from one of our Premium Colors with no set-up fee.

### Gloss:



SILVER METALLIC
70 GLOSS
T357-GR105



SILVER METALLIC
30 GLOSS
T353-GR06



DARK RED 90
GLOSS
P009-RD02



INTERNATIONAL
ORANGE 90
GLOSS
T009-OG26




SAFETY ORANGE
90 GLOSS
T009-OG01




YELLOW 90
GLOSS
T009-YL14



YELLOW 90
GLOSS
T009-YL01



TRAFFIC GREEN
70 GLOSS
T007-GN16



GREEN 70 GLOSS
T007-GN13



GREEN 60 GLOSS
C006-GN03



BLUE 90 GLOSS
T009-BL01



DARK BLUE 80
GLOSS
T008-BL20



RAL 8028 TERRA
BROWN 90 GLOSS
C209-BR358

### Hammer:



WHITE HAMMER
T013-WH09



BEIGE HAMMER
T013-BG38



GREY HAMMER
C013-GR08



SILVER
HAMMERTONE
T064-GR05




BLACK HAMMER
T013-BK62



RED HAMMER
T013-RD15



GREEN HAMMER
T013-GN220



BLUE HAMMER
T013-BL468



BRONZE HAMMER
T012-BR161

### Texture:



WHITE TEXTURE
C031-WH120



FLINT GRAY
TEXTURE
T243-GR522



BLACK TEXTURE
C241-BK109



RED TEXTURE
T241-RD129



BLUE TEXTURE
C241-BL544



OIL RUBBED
BRONZE TEXTURE
T291-BR251

### Vein:



BLACK/WHITE
VEIN
T075-WH34



SILVER VEIN
T375-BK26



COPPER VEIN
EXTERIOR
T075-BK211



GOLD VEIN
T375-BK10



COPPER VEIN
T375-BK07